



Engineering progress
Enhancing lives

RAUTITAN

Water, Gas and Fire

Product book AUSTRALIA



RAUTITAN - The new generation

Reliable. Versatile. Secure.

The RAUTITAN system has been developed in collaboration with our industry partners across the globe; installers, designers, builders and developers. A complete and comprehensive building technology solution for water, fire sprinkler, gas and hydronic heating services complemented by the RAUTOOL range; the RAUTITAN system is reliable, versatile and secure.



Quality

Developed in collaboration with designers, installers, builders and developers across the globe RAUTITAN represents the result of over 60 years experience in polymer processing and industrial manufacturing.

Produced in state-of-the-art manufacturing facilities with advanced quality management processes ensures that all system components combine seamlessly, delivering a reliable and robust system. RAUTITAN PXsr polymer fittings are produced using state-of-the-art robotics technology to guarantee optimum quality. All RAUTITAN fittings are 100% manufacturer pressure tested for unrivaled reliability.

As a global supplier of materials for a diverse range of industries REHAU understands what is required to get the job done.

Innovation

As a partner of the global construction industry for nearly 50 years, REHAU is dedicated to meeting industry challenges such as sustainability, efficiency and reliability. With significant investment in R&D, REHAU has delivered countless patents and innovations such as the RAUTITAN PXsr polymer fitting. The RAUTITAN PXsr range not only provides for an easier installation with the easy-slide reversible sleeve, but also provides improvements with regard to hygiene. We continue to invest and develop new materials, designs and technology to meet the future requirements of our industry.

Service

For more than 40 years REHAU has been supporting and servicing the Australia and New Zealand plumbing industry. Dedicated to ensuring our customers enjoy the best quality and service we are committed to having a qualified and local contact. With a team of qualified technical sales managers located across the region supported by our central design and engineering team in Sydney and local customer service.

The quality of any plumbing system is only as good as its design, installation and operation. REHAU training academies support precise and efficient use of the system.



System overview



05

RAUTITAN water, gas and fire services
16 - 63mm



38

REHAU services
One-stop Supplier of Quality Solutions

In locations with known problems of fitting corrosion or where the water is or is suspected to be highly corrosive (e.g. in volcanic areas, in installations using bore/well water or in applications using water with high sulphur content, etc), there is a danger that fittings corrode quickly. The suitability and warranty coverage of the RAUTITAN pipe system in such installations require a prior independent consultation with REHAU. In some cases, the accessible or nearby water quality may also void the REHAU warranty unless appropriate water treatment is provided.



**RAUTITAN water, gas and fire services
16 - 40mm**

RAUTITAN water, gas and fire

16 - 63mm



RAUTITAN is a comprehensive system for internal hot & cold water, fire sprinkler, gas and hydronic heating systems, including PE-Xa pipe, multi-layer (PEX-AL-PE) pipe, compression sleeve fitting system and a range of professional installation tools. The No.1 in Australia.

One Sleeve.

Easy-slide reversible sleeve for safe connections without leakage.

One Fitting – for easy, fast and secure connections.

If you use different pipe systems for water and gas installations, we recommend our RAUTITAN system. Now you can use one fitting and sleeve for both applications. Most convenient for your daily work.

RAUTITAN PXsr

Combining more than 75 years of world class expertise in polymer engineering and over 50 years of plumbing installations across the globe, REHAU has redeveloped the PXsr fitting to create even greater resistance to on-site chemicals. The PVDF fitting continues to offer all the great benefits of polymer fittings in addition to being Solvent Resistant that is, the fittings do not suffer "environment stress cracking" when exposed to known chemicals used on construction sites in Australia including glues, primers and solvents. REHAU is proud of the RAUTITAN next generation piping system - RAUTITAN PXsr: a revolutionary polymer fitting system.

RAUTITAN fittings are protected by Australian Design Registration No. 327395, 327396, 327397.

The RAUTITAN Water Services system is Easier, Faster and More Secure.

RAUTITAN water service system was developed in collaboration with industry professionals in order to meet the needs of builders and the plumbing trade. It is quick and easy to install while being extremely reliable. In addition to that, the system allows savings in time, labour and material costs.

The strength and flexibility of cross-linked high-density polyethylene (PE-Xa) pipes and PE-X/AL/PE composite pipes used together with a complete range of RAUTITAN Lead Free brass and RAUTITAN PXsr (polymer PVDF) fittings makes RAUTITAN a superior system that can be used in both residential and commercial applications.

Advantages

- Simple and fast installation
- Permanent leak-proof joint
- Inhibit corrosion and incrustation
- Colour differentiation between hot and cold water lines, recycled and rain water
- Joint integrity verified by visual inspection
- Reduces water hammer
- One sleeve - all applications
- Solvent resistant fittings - PXsr



RAUTITAN for Fire Sprinkler

The National Construction Code 2019 references a new type of fire sprinkler system as defined by the standard FPAA101D. This type of system draws water from the drinking water supply of the residential building and as such allows PE-X piping systems to be used providing they are Watermark certified to AS 2492 and AS/NZS 2537 respectively. This applies to class 2 and 3 residential buildings that have been approved after May 2019 with 4 levels or more and less than 25m height.

As a leading plumbing piping system provider in Australia, REHAU once again has the perfect solution. REHAU's RAUTITAN plumbing system has set the benchmark for plastic piping technology in the Australian/New Zealand plumbing industries for over 35 years. It's supreme reliability, simplicity and performance makes it the ideal solution for use as a fire sprinkler piping system for the aforementioned building types.

Contents

Pipes	8
Fittings	12
Accessories	24
Assemblies	25
RAUTOOL	28

Pipes

PE-Xa



RAUTITAN platinum for drinking water

REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
132300-005	1450634	16 x 2.2	-	5	-	100
132310-005	1450636	20 x 2.8	-	5	-	100
132320-005	1450638	25 x 3.5	-	5	-	25
132330-005	1450639	32 x 4.4	-	5	-	25
132340-005	1450658	40 x 5.5	-	5	-	10
132300-100	1450635	16 x 2.2	100	-	100	-
132310-100	1450637	20 x 2.8	100	-	100	-
132320-050	1450656	25 x 3.5	50	-	50	-
132330-050	1450657	32 x 4.4	50	-	50	-
132350-005	1450659	50 x 6.9	-	5	-	25
132360-005	1450660	63 x 8.6	-	5	-	20

PE-Xa



RAUTITAN red for hot drinking water

REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
132520-005	1450651	16 x 2.2	-	5	-	100
132530-005	1450653	20 x 2.8	-	5	-	100
132540-005	1450655	25 x 3.5	-	5	-	25
132520-100	1450650	16 x 2.2	100	-	100	-
132530-100	1450652	20 x 2.8	100	-	100	-
132540-050	1450654	25 x 3.5	50	-	50	-

PE-Xa



RAUTITAN lilac for recycled water

REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
122200-050	1450006	16 x 2.2	50	-	50	-
122210-050	1450007	20 x 2.8	50	-	50	-
122220-050	1450507	25 x 3.5	50	-	50	-
122910-005*	1450646	32 x 4.4	-	5	-	25
122920-005*	1450647	40 x 5.5	-	5	-	10
122930-005	1450648	50 x 6.9	-	5	-	25
122940-005	1450649	63 x 8.6	-	5	-	20

*non-standard article

RAUTITAN green for rainwater

PE-Xa 



REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
104200-050	1450324	16 x 2.2	50	-	50	-
104210-050	1450325	20 x 2.8	50	-	50	-
104220-050	1450641	25 x 3.5	50	-	50	-
104230-050	1450642	32 x 4.4	50	-	50	-
104240-005	1450643	40 x 5.5	-	5	-	10
104250-005	1450644	50 x 6.9	-	5	-	25
104360-005	1450645	63 x 8.6	-	5	-	20

RAUTITAN stabil for drinking water and radiator connection - silver

PE-X/Al/PE 



REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
130071-005	1450341	16.2 x 2.6	-	5	-	100
130081-005	1450343	20 x 2.9	-	5	-	50
130091-005	1450345	25 x 3.7	-	5	-	40
130101-005	1450346	32 x 4.7	-	5	-	25
130111-005	1450347	40 x 6.0	-	5	-	15
130121-100	1450340	16.2 x 2.6	100	-	100	-
130131-100	1450342	20 x 2.9	100	-	100	-
130141-050	1450508	25 x 3.7	50	-	50	-

RAUTITAN yellow gas stabil for gas application

PE-X/Al/PE 



REHAU Article	REECE Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
180322-005	1450400	16.2 x 2.6	-	5	-	100
180332-005	1450401	20 x 2.9	-	5	-	50
180342-005	1450402	25 x 3.7	-	5	-	40
180352-005	1450403	32 x 4.7	-	5	-	25
180362-005	1450404	40 x 6.0	-	5	-	15
180322-100	1450405	16.2 x 2.6	100	-	100	-
180332-100	1450406	20 x 2.9	100	-	100	-
180342-025	1450407	25 x 3.7	25	-	25	-
180352-025	1450408	32 x 4.7	25	-	25	-

Pipes



RAUTITAN platinum in conduit for drinking water

REHAU Article	REECE Code	Size	m/Coil	Piece(s)/ Package
132280-050	1450661	16 x 2.2	50	1
132290-050	1450662	20 x 2.8	50	1



RAUTITAN Protective Conduit Pipe (for Rautitan Only) - Black

REHAU Article	REECE Code	Size	m/Coil	OD (mm)	ID (mm)	Piece(s)/ Package
137160-025	1450495	16 - 25	25	35	28	1



RAUTITAN Platinum Pre-Insulated pipe (silver) for drinking water - with 13mm concentric insulation

REHAU Article	REECE Code	Size	m/Coil	Piece(s)/ Package
132370-050	1450674	16 x 2.2	50	1
132380-050	1450675	20 x 2.8	50	1



RAUGUARD for pipe protection

Flexible metal conduit (zinc plated steel)

REHAU Article	REECE Code	Size	m/Coil	OD mm	ID mm	Piece(s)/ Package
166076-001 ¹⁾	1450573	16/20	30	30	26	1
166086-001 ¹⁾	1450574	25	30	38	34	1
166096-001 ¹⁾	1450575	32	30	43	39	1
166097-001 ¹⁾	1450576	40	10	54	50	1
166098-001 ¹⁾	1450577	40+	10	56	53	1



Protective conduit (PE) for pipe protection

REHAU Article	REECE Code	Size	m/Coil	OD mm	ID mm	Piece(s)/ Package
180252-050	1450570	16	50	24	19	1
180262-050	1450571	20	50	28	23	1
180282-025	1450572	25/32	25	42	36	1

Fittings

RAUTITAN PX compression sleeve - polymer

REHAU Article	REECE Code	Size	Piece(s)/ Package
160001	1450510	16	150
160002	1450511	20	100
160003	1450512	25	100
160004	1450513	32	50
160005	1450514	40	25



RAUTITAN MX compression sleeve - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
139771	1450169	50	25
139781	1450186	63	25





RAUTITAN PXsr no. 1 straight coupling - polymer

REHAU Article	REECE Code	Size	Piece(s)/ Package
326505	750520	16	10 / 50
326506	750521	20	10 / 50



RAUTITAN LEAD-FREE No. 1 Straight coupling - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371431	1456292	16	10
371432	1456293	20	10
371433	1456294	25	10
371434	1456295	32	10
371435	1456315	40	1



RAUTITAN LEAD-FREE no. 1 straight coupling - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371529	1456266	50	1
371530	1456274	63	1



RAUTITAN PXsr no. 1R reducing coupling - polymer

REHAU Article	REECE Code	Size	Piece(s)/ Package
326514	750526	20 - 16	10



RAUTITAN LEAD-FREE no. 1R reducing coupling - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371436	1456296	20 - 16	10
371438	1456316	25 - 16	10
371437	1456297	25 - 20	10
371439	1456298	32 - 25	10
371440	1456317	40 - 32	5



RAUTITAN LEAD-FREE no. 1R reducing coupling - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371516	1456264	50 - 32	5
371514	1456263	50 - 40	1
371515	1456271	63 - 50	1



RAUTITAN LEAD-FREE no. 2 straight connector - female thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371467	1456329	16 - Rp $\frac{1}{2}$ " Fl	10
371468	1456330	20 - Rp $\frac{1}{2}$ " Fl	10
371469	1456331	20 - Rp $\frac{3}{4}$ " Fl	10
371470	1456332	25 - Rp $\frac{3}{4}$ " Fl	10
371471	1456333	25 - Rp1" Fl	10
371472	1456334	32 - Rp1" Fl	10



RAUTITAN LEAD-FREE no. 3 straight connector - male thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371457	1456319	16 - R $\frac{1}{2}$ " Ml	10
371458	1456320	16 - R $\frac{3}{4}$ " Ml	10
371459	1456321	20 - R $\frac{1}{2}$ " Ml	10
371460	1456322	20 - R $\frac{3}{4}$ " Ml	10
371461	1456323	20 - R1" Ml	10
371462	1456324	25 - R $\frac{3}{4}$ " Ml	10
371463	1456325	25 - R1" Ml	10
371464	1456326	32 - R $\frac{3}{4}$ " Ml	10
371465	1456327	32 - R1" Ml	10
371466	1456328	40 - R1 $\frac{1}{4}$ " Ml	5



RAUTITAN LEAD-FREE no.3 straight connector - male thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371527	1456265	50 - R1 $\frac{1}{2}$ " Ml	1
371528	1456273	63 - R2" Ml	1





RAUTITAN PXsr no. 12 elbow 90° - polymer

REHAU Article	REECE Code	Size	Piece(s)/ Package
326508	750522	16	10
326509	750523	20	10



RAUTITAN LEAD-FREE no. 12 elbow 90° - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371441	1456299	16	10
371442	1456300	20	10
371443	1456301	25	10
371444	1456302	32	3
371445	1456318	40	1



RAUTITAN LEAD-FREE no. 12 elbow 90° - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371531	1456267	50	1
371508	1456272	63	1



RAUTITAN LEAD-FREE no. 13 elbow - male thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371473	1456335	16 - R $\frac{1}{2}$ " Ml	10
371474	1456336	20 - R $\frac{1}{2}$ " Ml	10
371475	1456337	20 - R $\frac{3}{4}$ " Ml	10
371477	1456339	25 - R $\frac{3}{4}$ " Ml	10
371476	1456338	25 - R1" Ml	10
371478	1456340	32 - R1" Ml	10



RAUTITAN LEAD-FREE no. 13 elbow 45° - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371506	1456261	50	1
371507	1456268	63	1

RAUTITAN LEAD-FREE no. 14 elbow - female thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371479	1456342	16 - Rp ½" Fl	10
371480	1456343	20 - Rp ¾" Fl	10



RAUTITAN LEAD-FREE no. 15 BP elbow with 3 lugs - female thread - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371500	1456358	16 - Rp ½" Fl	10
371501	1456359	20 - Rp ¾" Fl	25
371503	1456360	25 - Rp 1" Fl	10
371504	1456361	32 - Rp 1" Fl	5



RAUTITAN LEAD-FREE no. 19 BP elbow with 3 lugs - male parallel thread - brass

REHAU Article	REECE code	Size	Thread Length	Piece(s)/ Package
371490	1456352	16 - G ½" B Ml ext. 65 mm	32mm	25
371491	1456353	16 - G ½" B Ml ext. 90 mm	50mm	15
371492	1456354	16 - G ½" B Ml ext. 200 mm	140mm	10
371493	1456355	20 - G ½" B Ml ext. 95 mm	50mm	25
371494	1456356	20 - G ½" B Ml ext. 200 mm	140mm	10
371496	1456357	20 - G ¾" B Ml ext. 95 mm	50mm	10
371497*	1456362	20-G ¾" Ml ext. 200 mm	140mm	10



* Not suitable for Gas application.

Gas Application:

Where no practical alternative is available, AS/NZS 5601.1 allows connections between a No. 19 BP with parallel thread to an internal (female) parallel thread. The installation must comply with AS/NZS 5601.1 Clause 4.4. Connection with No. 19 BP tapered thread shall be preferred.



RAUTITAN PXsr no. 24 T-piece polymer

REHAU Article	REECE code	d1	d2	d3	Piece(s)/ Package
326511	750524	16	16	16	10
326512	750525	20	20	20	10
326517	750527	20	16	20	10
326520	750528	20	20	16	10
326522	750529	20	16	16	10
326526	750530	16	20	16	10



RAUTITAN LEAD-FREE no. 24 T-piece - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371390	1456282	16	16	16	10
371391	1456283	20	20	20	10
371392	1456284	25	25	25	10
371393	1456303	32	32	32	3
371423	1456304	40	40	40	1



RAUTITAN LEAD-FREE no. 24 T-piece - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371509	1456262	50	50	50	1
371510	1456269	63	63	63	1

RAUTITAN LEAD-FREE no. 25 T-piece - reduced centre - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371424	1456285	20	16	20	10
371425	1456286	25	16	25	10
371426	1456287	25	20	25	10
371427	1456288	32	20	32	10
371446	1456305	32	16	32	3
371447	1456306	32	25	32	3
371448	1456307	40	20	40	3
371449	1456308	40	25	40	3
371450	1456309	40	32	40	3



RAUTITAN LEAD-FREE no. 25 T-piece - reduced centre - brass

REHAU Article	Reece Code	d1	d2	d3	Piece(s)/ Package
371512	1456280	50	20	50	1
371511	1456279	50	25	50	1
371513	1456270	50	32	50	1



RAUTITAN LEAD-FREE no. 26 T-piece - reduced end - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371428	1456289	20	20	16	10
371452	1456310	25	25	20	10





RAUTITAN LEAD-FREE no. 27 T-piece - reduced centre and end - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371429	1456290	20	16	16	10
371453	1456311	25	16	16	10
371430	1456291	25	20	20	10
371454	1456312	32	20	20	10



RAUTITAN LEAD-FREE no. 28 T-piece - reduced ends - brass

REHAU Article	REECE Code	d1	d2	d3	Piece(s)/ Package
371455	1456313	16	20	16	10
371456	1456314	20	25	20	10

Suitable for Australian copper pipe sizes in accordance with AS 1432.



RAUTITAN LEAD-FREE connection barb - male - brass

REHAU Article	REECE Code	Size	OD DN	ID DN	Piece(s)/ Package
371483	1456346	16	15	-	10
371484	1456347	20	20	-	10
371485	1456348	25	25	20	10
371486	1456349	32	32	25	3

*OD of connection barb = copper type A or B. Copper pipe has to be expanded before brazing.

ID of connection barb = size of copper pipe to fit inside of connection barb for brazing.

DN = Australian copper size type A or B.



RAUTITAN LEAD-FREE connection barb - female - brass

REHAU Article	REECE Code	Size	OD DN	ID DN	Piece(s)/ Package
371487	1456350	16	-	15	50
371489	1456351	20	-	20	50



RAUTITAN LEAD-FREE no. 61 stopper - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371481	1456344	16	10
371482	1456345	20	10



RAUTITAN LEAD-FREE no. 62 straight tap connector - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371517	1456366	16 x G½" Fl Nut	25
371518	1456367	20 x G¾" Fl Nut	25

Not suitable for gas application



RAUTITAN LEAD-FREE no. 62 straight tap connector with gasket - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371519	1456250	16 x G½" Fl Nut	10
371520	1456258	20 x G½" Fl Nut	10
371521	1456259	20 x G¾" Fl Nut	10
371522	1456260	25 x G¾" Fl Nut	10

RAUTITAN MX no.62 Spare Gasket

Not suitable for gas application



RAUTITAN LEAD-FREE no. 63 bent tap connector - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371523	1456368	16 x G½" Fl Nut	25
371524	1456369	20 x G¾" Fl Nut	25

Not suitable for gas application



RAUTITAN LEAD-FREE transition to EDGE™ system

REHAU Article	Size	Application
1456205	16	water
1456206	20	water





RAUTITAN to >B< Press adaptor

REECE Code	Size	Application
405111	16	water
405112	20	water
405117	25	water
405113	16	gas
405114	20	gas
405116	25	gas

For more information on the latest RAUTITAN to >B< Press adaptor, please contact your nearest Reece branch or go to www.reece.com.au
 To also confirm with your Reece branch if this fitting can be used for fire according to the FPAA101D.



water

gas

RAUTITAN-Zetco Ball Valves

REECE Code	Size	Application
107766	20-20	Water
107767	25-25	Water
107768	32-32	Water
107769	20-20	Gas
107770	25-25	Gas

* not produced by REHAU

For more information on the latest REHAU approved Zetco Ball Valves contact your local REECE branch or visit www.reece.com.au



RAUTITAN LEAD-FREE compression union - brass

REHAU Article	REECE Code	Size	Piece(s)/ Package
371525	1456278	16 x 1/2"	25
371526	1456277	20 x 3/4"	25

Not suitable for gas application

Fire Sprinkler T-piece with bracket - LEAD-FREE

REHAU Article	REECE Code	Size	Package Piece/ Box
371540	1456363	32-RP $\frac{1}{2}$ -32	1/20
371541	1456364	25-RP $\frac{1}{2}$ -25	1/25



Fire Sprinkler elbow with bracket - LEAD-FREE

REHAU Article	REECE Code	Size	Package Piece/ Box
108885-001	1451227	25-RP $\frac{1}{2}$	1/30



Accessories



Spring bend bracket 90° x 3D

REHAU Article	REECE Code	Size	Piece(s)/ Package
138881	1450020	16	10
138891	1450062	20	10
138351	1450631	25	10



Profile bend bracket 90° x 5D

REHAU Article	REECE Code	Size	Piece(s)/ Package
258408	1450037	16	10
258798	1450077	20	10
257249	1450096	25	10
261153	1450632	32*	5

* with spring



Pipe clip-on support channel

REHAU Article	REECE Code	Size	m/length	Piece(s)/ Package
138033	1450017	16	3	10
138043	1450058	20	3	10
138053	1450089	25	3	10
138063	1450122	32	3	10
138073	1450150	40	3	5






RAUTITAN protective tape

REHAU Article	REECE Code	m/Roll	Piece(s)/ Package
229696*	-	33	1

* Non-standard article


Assemblies

Bath/laundry assemblies

REHAU Article	REECE Code	Size	Piece(s)/ Package	
371537	1456253	8" right angle	5	  8" right angle
371539	1456255	12" right angle	5	 12" right angle
261945	1450043	8" straight	5	 8" straight
268871	1450051	12" straight	5	 12" straight
245997	1450030	12" rear entry	5	 12" rear entry
245987	1450029	12" left hand straight	5	 12" left hand straight
245977	1450028	12" right hand straight	5	 12" right hand straight

Assemblies


Shower assemblies



6" straight


REHAU Article	REECE Code	Size	Piece(s)/ Package
---------------	------------	------	----------------------

261995	1450047	6" straight	5
--------	---------	-------------	---




6" right angle

371534	1456256	6" right angle	5
--------	---------	----------------	---




8" right angle

371538	1456254	8" right angle	5
--------	---------	----------------	---




6" right angle barbs up

371535	1456252	6" right angle barbs up	5
--------	---------	-------------------------	---




8" right angle barbs up

371536	1456251	8" right angle barbs up	5
--------	---------	-------------------------	---



6" left hand straight

246117	1450220	6" left hand straight	5
--------	---------	-----------------------	---



6" right hand straight

246127	1450221	6" right hand straight	5
--------	---------	------------------------	---

Hot water entry

REHAU Article	REECE Code	Size	Length	Piece(s)/ Package
371532	1456275	16	900 mm	1
371533	1456276	20	900 mm	1



RAUTOOL



Expander tool QC (to suit expander heads 16 - 32 RO and QC)

REHAU Article	REECE Code	Description	Piece(s)/ Package
214176	1450289	Expander tool QC with Quick Change connection inclusive of cleaning brush and lubricant gel	1



RAUTOOL L1

REHAU Article	REECE Code	Description	Piece(s)/ Package
	1451194	RAUTOOL L1 Tool kit 16-25mm	1
Content of RAUTOOL L1 kit :			
131888-001	1440429	RAUTOOL L1 compression tool with 16/25mm jaws	1
214176-001	1450289	REHAU Expander tool QC 16/32mm	1
217468-001	1440418	Dual Expander head 16 x 2.2 / 20 x 2.8 QC (PE-Xa)	1
	7700259	Rothenberger Rocut pipe cutter 16-25	1
	1440434	Transport case*	1

* Tool transport case may vary in shape, size and colour



Rothenberger Axial Tool Kit

REECE Code	Description	Piece(s)/ Package
7701002	Rothenberger Axial RAUTITAN Tool Kit 16-20, battery operated	1
Content of Rothenberger Axial RAUTITAN Tool Kit 16-20		
	Compression tool inclusive of holding pins set, Li-ion battery (1 pc) and battery charger (1 pc)	1
	Compression jaws, hydraulic: 16/20	1
	Expander tool QC with cleaning brush and lubricant gel	1
	Dual expander head QC 16 x 2.2 / 20 x 2.8	1
	Pipe cutter 16-20 stabil	1
	Transport case*	1
	Operating instructions	1

* Tool transport case may vary in shape, size and colour

RAUTOOL G2 Kit

REHAU Article	REECE Code	Description	Piece(s)/ Package
315099	1450498	RAUTOOL G2 kit, electro hydraulic	1
Content of RAUTOOL G2 kit :			
		Compression tool inclusive of holding pins set, electric pump HMP 1 and hydraulic hose 4 m, Li-ion battery (1pc) and battery charger (1pc)	1
		Compression jaws, G2: 50	1
		Compression jaws, G2: 63	1
		Expander head G2 50 x 6.9	1
		Expander head G2 63 x 8.6	1
		Deburrer	1
		Pipe cutter 40 - 63	1
		Transport case*	1
		Operating instructions	1

* Tool transport case may vary in shape, size and colour



RAUTOOL A5

REHAU Article	REECE Code	Description	Piece(s)/ Package
317045-001	-	RAUTOOL A5 kit, battery operated	1
Content of RAUTOOL A5 tool set:			
	-	A5 tool	1
	1451015	18V 4 Ah battery	1
	-	battery charger	1
131558-001	-	Pipe cutter 40-63	1
	-	Transport case*	1
	-	Operating instructions	1

* Tool transport case may vary in shape, size and colour



Replacement batteries and charger

REHAU Article	REECE Code	Description	Piece(s)/ Package
203623	1451015	Replacement storage battery for G2/A5	1
203619	1451016	Replacement storage battery for A-Light2	1
204427	1451017	Quick charger for A-Light2 / G2	1



RAUTOOL

Pipe cutters



REHAU Article	REECE Code	Description / Size	Suits Pipe Type	Piece(s)/ Package
247474	1450350	Stabil Cutter 16-20	PE-Xa, PE-X/AL/PE	1
247464	1451011	Spare blade for 16 - 20 (article no. 247474)		1
138062	7700265	Cutter 16 - 40	PE-Xa, PE-X/AL/PE 25 - 40	1
138072	7700266	Spare blade for 16 - 40 (article no. 138062)		1
137495	1450273	Pipe cutters 16 - 25	PE-Xa, PE-X/AL/PE	1
131558	-	Cutter 40 - 63	PE-Xa, PE-X/AL/PE	1
131557	-	Spare blade for 40 - 63 (article no. 131558)		1

Compression Jaws



REHAU Article	REECE Code	Size	Suits RAUTOOL	Piece(s)/ Package
190896	-	16 / 20	L1 Tool	1
108863	-	25	L1 Tool	1
139361	1450288	16 / 20	R- Axial	1
257259	1450298	25 / 32	R- Axial	1
201801	1450584	40	R- Axial	1
201802	1450283	40	G2	1
137624	1451009	50	G2	1
137634	1451010	63	G2	1
317435	1451298	40	A5	1
317436	1451299	50	A5	1
317437	1451300	63	A5	1

Expander bits



REHAU Article	REECE Code	Size	Suits Pipe Type	Suits RAUTOOL	Piece(s)/ Package
244611	1450586	40 x 5.5	PE-Xa	R- Axial	1
247644	1450355	40 x 6.0	PE-X/AL/PE	R- Axial	1
217469	1440425	Universal 25 / 32 QC	PE-Xa, PE-X/AL/ PE*	R- Axial	1

* Requires additional expander heads QC.

Expander heads - QC

REHAU Article	REECE Code	Size	Suits Pipe Type	Suits Expander Tool*	Piece(s)/ Package
217468	1440418	Dual 16 x 2.2 / 20 x 2.8	PE-Xa	L1, R- Axial	1
214172	1440419	25 x 3.5	PE-Xa	L1, R- Axial	1
214175	1440420	32 x 4.4	PE-Xa	L1, R- Axial	1
209224	1440421	16 x 2.6	PE-X/AL/PE	L1, R- Axial	1
209225	1440422	20 x 2.9	PE-X/AL/PE	L1, R- Axial	1
209226	1440423	25 x 3.7	PE-X/AL/PE	L1, R- Axial	1
209227	1440424	32 x 4.7	PE-X/AL/PE	L1, R- Axial	1
139881	1450293	40 x 5.5	PE-Xa	G2	1
139891	1450588	50 x 6.9	PE-Xa	G2	1
139901	1450589	63 x 8.6	PE-Xa	G2	1
001134	1451301	40	PE-Xa	A5	1
001135	1451302	50	PE-Xa	A5	1
001137	1451303	63	PE-Xa	A5	1




A-Light2 - Ball headed pin set

REHAU Article	REECE Code	Description	Piece(s)/ Package
244651	1451241	The suit Rothenberger Axial tools	2



REHAU services

REHAU Authorised Installer Network (RAIN)



Not only is the quality and design of REHAU piping systems exceptional, the company's commitment to the people who sell and install them is just as outstanding. Consequently, REHAU plumbers worldwide enjoy an array of benefits second to none.

Stay on top of your trade with myREHAU.com

REHAU is much more than your supplier of piping and fittings. We aim to provide a standard of after-sales service to match the world-class quality of our products.

To assist you and your team to utilise the full capabilities of our products and services we have developed the REHAU Authorised Installer Network (RAIN) which is offered through the **myREHAU.com** rewards and training online portal. Our vision is to grow and support our customers as they mature across the marketplace. The RAIN network is an exclusive group of installation experts who are trained and authorised by REHAU to install the RAUTITAN product range.

myREHAU.com rewards is a loyalty platform that offers our customers tools, tool service and accessories, safety equipment and merchandise using points acquired through the purchase of REHAU products. It helps our customer stay up to date with latest tool accessories and maintenance.



**AUTHORISED
INSTALLER**



The myREHAU.com Benefits

Earn myREHAU points as you purchase eligible REHAU water, fire sprinkler, gas, drainage, UFH and Sewer products which can be redeemed for tools, accessories and merchandise. Refine your skills and knowledge through online training modules and get certified as an approved installer. Stay up to date with the latest in REHAU innovations, events and regulations. Acquire special design assistance for your projects.

To register visit myREHAU.com and sign up to the program.



Project Design Support

Whether your project is a family home or a 40-storey high-rise development, REHAU is your design partner. Our central design office and experienced engineers can provide advice regarding system performance, pipe layout, required materials, controls, hydraulic consideration and much more.

Submit your project details (description and CAD drawing) to our central design office or go online and complete a DIY design.

myREHAU.com



Your Perfect Long-term Partner

We offer you the strength of a world-leading brand of polymer-based solutions. One that is backed by outstanding innovations, the most modern manufacturing technologies and flexible logistics. You'll find in REHAU a future-oriented and reliable partner with a width and depth of expertise second to none.

REHAU Pty Ltd

National Customer Service Centre

Australia

Tel: 1300 768 033 • Fax: 1300 760 665

Email: sales.au@rehau.com

www.rehau.com.au

New Zealand

Tel: +64 9 272 2264

Email: sales.nz@rehau.com

www.rehau.co.nz



The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. Before using, the user will determine suitability of the information for user's intended use and shall assume all risk and liability in connection therewith.