



WM 74896 Ma
WaterMark
EDGE

silver 16x2.0 109345 DN/OD 16 PN 16 SDR 9 PE-Xa 80 AS 2492
EDGE



REHAU EDGE
red 16x2.0 109345 DN/OD 16 PN 16 SDR 9 P
EDGE



Engineering progress
Enhancing lives

REHAU EDGE™

Product book - Australia/New Zealand



REHAU EDGE™

INNOVATIVE TECHNOLOGY



Insert



Compress



Done!

	Compression Sleeve	Crimp	EDGE™
No expansion required	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
No Gauge required	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
No over- or under- crimping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rotatable dual jaws for battery tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fitting grips to the pipe before compression	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Visual control of pipe insertion depth	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Visual check of completed connection	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Immediate pressure testing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Leaks when uncompressed	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
25-year system warranty	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

It's your **EDGE™**

The **EDGE** of tomorrow


EDGE™ is a revolutionary new piping system that offers the safety of compression sleeve with the speed of crimp. EDGE™ is designed for security and speed without the need for expansion. EDGE™ is a comprehensive plumbing solution consisting of LF brass fittings and solvent-resistant polymer sleeves and fittings, highly flexible PN16 PE-Xa pipe ranging from 16mm to 32mm for hot and cold, recycled and rainwater use.



Fitting stays in place after being inserted



No pipe expansion required



Visual control of pipe insertion via inspection windows



Visibly leaks when uncompressed



Security without the steps

Developed in collaboration with installers and designers, EDGE™ is the next evolution in compression sleeve technology. REHAU EDGE™ is the perfect solution for plumbing professionals who value speed, security and a competitive edge for their installations.

REHAU EDGE™

Product Range



REHAU EDGE™ SILVER

REECE code	Size
1456100	EDGE SILVER 16X2.0 - 5M STRAIGHT
1456101	EDGE SILVER 20X2.3 - 5M STRAIGHT
1456102	EDGE SILVER 25X2.8 - 5M STRAIGHT
1456103	EDGE SILVER 32X3.6 - 5M STRAIGHT
1456104	EDGE SILVER 16X2.0 - 100M COIL
1456105	EDGE SILVER 20X2.3 - 100M COIL
1456209	EDGE SILVER 16X2.0 - 50M COIL
1456210	EDGE SILVER 20X2.3 - 50M COIL
1456106	EDGE SILVER 25X2.8 - 50M COIL



REHAU EDGE™ RED

REECE code	Size
1456108	EDGE RED 16X2.0 - 5M STRAIGHT
1456109	EDGE RED 20X2.3 - 5M STRAIGHT
1456110	EDGE RED 25X2.8 - 5M STRAIGHT
1456111	EDGE RED 16X2.0 - 100M COIL
1456112	EDGE RED 20X2.3 - 100M COIL
1456211	EDGE RED 16X2.0 - 50M COIL
1456212	EDGE RED 20X2.3 - 50M COIL
1456113	EDGE RED 25X3.2 - 50M COIL



REHAU EDGE™ LILAC

REECE code	Size
1456114	EDGE LILAC 16X2.0 - 50M COIL
1456115	EDGE LILAC 20X2.3 - 50M COIL
1456116	EDGE LILAC 25X2.8 - 50M COIL



REHAU EDGE™ GREEN

REECE code	Size
1456118	EDGE GREEN 16X2.0 - 50M COIL
1456119	EDGE GREEN 20X2.3 - 50M COIL
1456120	EDGE GREEN 25X2.8 - 50M COIL



EDGE™ Compression sleeve

REECE code	Size
1456122	EDGE COMPRESSION SLEEVE 16
1456123	EDGE COMPRESSION SLEEVE 20
1456124	EDGE COMPRESSION SLEEVE 25
1456125	EDGE COMPRESSION SLEEVE 32



EDGE™ STRAIGHT COUPLING

REECE code	Size
1456126	EDGE STRAIGHT COUPLING 16
1456128	EDGE STRAIGHT COUPLING 20
1456131	EDGE STRAIGHT COUPLING 25
#1456372	EDGE LF STRAIGHT COUPLING 32



EDGE™ REDUCING COUPLING

REECE code	Size
1456127	EDGE REDUCING COUPLING 20-16
1456129	EDGE REDUCING COUPLING 25-16
1456130	EDGE REDUCING COUPLING 25-20
#1456373	EDGE LF REDUCING COUPLING 32-25



EDGE™ Tee

REECE code	Size
1456138	EDGE TEE 16
1456139	EDGE TEE 20
1456140	EDGE TEE 25
#1456375	EDGE LF TEE 32



EDGE TEE™ - REDUCING

REECE code	Size
1456142	EDGE TEE REDUCING 20-(16)-20
1456143	EDGE TEE REDUCING 25-(16)-25
1456152	EDGE TEE REDUCING 25-(20)-20
#1456379	EDGE LF TEE - REDUCING 32-(25)-25
#1456376	EDGE LF TEE - REDUCING 32-(16)-32
#1456377	EDGE LF TEE - REDUCING 32-(20)-32
#1456378	EDGE LF TEE - REDUCING 32-(25)-32
1456147	EDGE TEE REDUCING 25-(20)-25
1456148	EDGE TEE REDUCING 20-(20)-16
1456149	EDGE TEE REDUCING 25-(25)-20
1456150	EDGE TEE REDUCING 20-(16)-16
1456151	EDGE TEE REDUCING 25-(16)-16
1456154	EDGE TEE REDUCING 16-(20)-16



EDGE™ Elbow

REECE code	Size
1456134	EDGE ELBOW 16
1456135	EDGE ELBOW 20
1456136	EDGE ELBOW 25
#1456374	EDGE LF ELBOW 32

Brass body

**EDGE™ LEAD FREE MALE STRAIGHT CONNECTOR**

REECE code	Size
1456386	EDGE LF MALE STR CONNECTOR 16 -R 1/2"
1456387	EDGE LF MALE STR CONNECTOR 16 -R 3/4"
1456388	EDGE LF MALE STR CONNECTOR 20 -R 1/2"
1456389	EDGE LF MALE STR CONNECTOR 20 -R 3/4"
1456390	EDGE LF MALE STR CONNECTOR 25 -R 3/4"
1456391	EDGE LF MALE STR CONNECTOR 25 -R 1"
1456392	EDGE LF MALE STR CONNECTOR 32 -R 1"

**EDGE™ LEAD FREE FEMALE STRAIGHT CONNECTOR**

REECE code	Size
1456380	EDGE LF FEMALE STR CONNECTOR 16 -RP 1/2"
1456381	EDGE LF FEMALE STR CONNECTOR 20 -RP 1/2"
1456382	EDGE LF FEMALE STR CONNECTOR 20 -RP 3/4"
1456383	EDGE LF FEMALE STR CONNECTOR 25 -RP 3/4"
1456384	EDGE LF FEMALE STR CONNECTOR 25 -RP 1"
1456385	EDGE LF FEMALE STR CONNECTOR 32 -RP 1"

**EDGE™ LEAD FREE MALE THREADED ELBOW**

REECE code	Size
1456393	EDGE LF MALE THRD ELB 16 -R 1/2"
1456394	EDGE LF MALE THRD ELB 20 -R 1/2"
1456395	EDGE LF MALE THRD ELB 20 -R 3/4"
1456396	EDGE LF MALE THRD ELB 25 -R 1"
1456397	EDGE LF MALE THRD ELB 32 -R 1"

**EDGE™ LEAD FREE FEMALE THREADED ELBOW**

REECE code	Size
1456398	EDGE LF FEMALE THRD ELB 16 -RP 1/2"
1456399	EDGE LF FEMALE THRD ELB 20 -RP 3/4"

**EDGE™ FEMALE THREAD ELBOW W/LUGS**

REECE code	Size
1456400	EDGE LF FEMALE THRD ELB WLUGS16 -RP 1/2"
1456401	EDGE LF FEMALE THRD ELB WLUGS20 -RP 3/4"
1456402	EDGE LF FEMALE THRD ELB WLUGS 25 -RP 1"
1456403	EDGE LF FEMALE THRD ELB WLUGS 32 -RP 1"

EDGE™ INNER RING

REECE code	Size
1456214	EDGE INNER RING 16
1456215	EDGE INNER RING 20
1456216	EDGE INNER RING 25
1456217	EDGE INNER RING 32

**EDGE™ LEAD FREE MALE THREAD ELBOW W/LUGS**

REECE code	Size	Thread Length mm
1456404	EDGE LF MALE THRD ELB WLUGS 16 -G1/2" 65	32
1456405	EDGE LF MALE THRD ELB WLUGS 16 -G1/2" 90	50
1456406	EDGE LF MALE THRD ELB WLUGS16 -G1/2" 185	115
1456407	EDGE LF MALE THRD ELB WLUGS 20 -G1/2" 95	50
1456408	EDGE LF MALE THRD ELB WLUGS20 -G1/2" 185	115
1456409	EDGE LF MALE THRD ELB WLUGS 20 -G3/4" 95	50
1456410	EDGE LF MALE THRD ELB WLUGS20 -G3/4" 185	115

**EDGE™ LEAD FREE STRAIGHT TAP CON W/SEAL**

REECE code	Size
1456411	EDGE LF STR TAP CONN WSEAL 16 -G1/2" NUT
1456412	EDGE LF STR TAP CONN WSEAL 20 -G3/4" NUT

**EDGE™ LEAD FREE STRAIGHT TAP CON W/GASKET**

REECE code	Size
1456413	EDGE LF STR TAP CONN WGSKT 16 -G1/2" NUT
1456414	EDGE LF STR TAP CONN WGSKT 20 -G3/4" NUT
1456415	EDGE LF STR TAP CONN WGSKT 25 -G1" NUT

**EDGE™ LEAD FREE BENT TAP CON W/SEAL**

REECE code	Size
1456416	EDGE LF BENT TAP CONN WSEAL16 -G1/2" NUT
1456417	EDGE LF BENT TAP CONN WSEAL20 -G3/4" NUT

**EDGE™ STOPPER**

REECE code	Size
1456186	EDGE STOPPER 16
1456187	EDGE STOPPER 20

REHAU EDGE™

Product Range



EDGE™ LEAD FREE BATH/LAUNDRY/SINK BREECH R

REECE code	Size
1456418	EDGE LF BATH/LND/SINK BREECH R ANGLE 8°
1456419	EDGE LF BATH/LND/SINK BREECH R ANGLE 12°

* Not available in New Zealand



EDGE™ LEAD FREE SHOWER BREECH RIGHT ANGLE

REECE code	Size
1456420	EDGE LF SHOWER BREECH RIGHT ANGLE 6°
1456421	EDGE LF SHOWER BREECH RIGHT ANGLE 8°

* Not available in New Zealand



EDGE™ LEAD FREE TRANSITION TO COPPER

REECE code	Size
1456422	EDGE LF TRANSITION TO COPPER 16-DN15(AUS)
1456423	EDGE LF TRANSITION TO COPPER 20-DN20(AUS)
1456424	EDGE LF TRANSITION TO COPPER 25-DN25(AUS)
1456425	EDGE LF TRANSITION TO COPPER 32-DN25(AUS)

* For connection into copper press fittings only.

* Not for brazing



EDGE™ LEAD FREE Transition from the RAUTITAN system

REECE code	Size
1456205	EDGE LF TRANSITION TO RAUTITAN 16-16
1456206	EDGE LF TRANSITION TO RAUTITAN 20-20



RAUTOOL L1

REECE code	Size
1451372	RAUTOOL EDGE L1 KIT 16/20 WITH CASE (16,20,25,32 SINGLE JAWS SOLD SEPARATELY)
1451246	RAUTOOL EDGE L1 JAW SET 16 MM
1451247	RAUTOOL EDGE L1 JAW SET 20 MM
1451248	RAUTOOL EDGE L1 JAW SET 25 MM
1451249	RAUTOOL EDGE L1 JAW SET 32 MM
1440430	RAUTOOL L1 SPARE KITS #1
1440431	RAUTOOL L1 SPARE KITS #2
1440432	RAUTOOL L1 SPARE KITS #3
1440433	RAUTOOL L1 SPARE KITS #4-JAW PIN SET



RAUTOOL L1 Dual Jaws

REECE code	Size
1451352	RAUTOOL EDGE DUAL JAW SET 16/20



RAUTOOL A-LIGHT2 EDGE™ jaws

REECE code	Size
1451314	EDGE ALIGHT2 DUAL JAW SET 16/20 MM
1451306	EDGE ALIGHT2 DUAL JAW SET 25/32 MM

* Also compatible with Rothenberger ROMAX AXIAL tool

* Also compatible with RAUTOOL ALight, A2, A3, E2, E3, A3




A-Light2 Tool Ball-Headed Pin Set

REECE code	Size
1451241	A-Light2 Tool Ball-Headed Pin Set




RAUTOOL Cutters

REECE code	Size
1450350	Stabil Cutter 16-20
1450273	Cutter 16-25
1450284	Cutter 16 - 40
1451011	Spare blade for Stabil cutter 6-20 (1450350)
1451012	Spare blade for cutter 16-40 (1450284)



The EDGE of tomorrow



SCAN ME



<http://qr.rehau.com/d3c5181a9a>

REHAU Pty Ltd

National Customer Service Centre

Australia

Tel: 1300 768 033 • Fax: 1300 760 665

Email: sales.au@rehau.com

www.rehau.com.au

New Zealand

Tel: +64 9 272 2264

Email: sales.nz@rehau.com

www.rehau.co.nz



The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. Before using, the user will determine suitability of the information for user's intended use and shall assume all risk and liability in connection therewith.